

Required Inspections:

Site Release - 770-528-2142

Commercial Only - 770-528-2142 For Letter of Completion

NOTE: #34 Stone pad with fabric liner for roll-off container pick-up & delivery.
Locate stone pad so pick-up & delivery truck can access container without tracking dirt into street. Stone pad must be 20 ft x 50 ft and use for truck access **NOT** to set container on.


NOTE: All disturbed areas are to be seeded & mulched upon completion of demolition.

NOTE: If foundation is to remain, all areas 30" or higher must have "FALL PROTECTION" installed.

NOTE: All utilities are to be disconnected, meters removed, sewer shall be properly and permanently capped and sealed to prevent the entrance of groundwater or surface water, septic tanks will be pumped, cleaned and filled with suitable material. After demolition is complete, remove all debris.

NOTE: The issuance of a permit does not grant permission to the owner/representative or permit holder to proceed with demolition prior to complying with Georgia laws and rules relative to air quality, solid waste, and asbestos, or other environmental contamination. For more information regarding State of Georgia requirements call EPD at 404-363-7026 or visit their website at www.gaepd.org/Documents/index_land.html

DEMOLITION EROSION COMPLIANCE



DATE: _____

PERMIT #: _____

SIGNATURE OF APPLICANT: _____